

K3 18i (windage right)

ULTRASHORT PRECISION TOOL



KAHLES



The K3 18i means optical and mechanical perfection packed into an ultrashort design. With precise illuminated reticles in 1st focal plane, sharply defined throughout the entire magnification range and the unique TWIST GUARD windage.

PRODUCT HIGHLIGHTS

- Ultrashort and lightweight riflescope for demanding shooters
- Absolutely reliable repeat accuracy and precise, clearly defined click mechanism
- Wide field of view and exceptional high contrast image
- Innovative TWIST GUARD windage (patented)
- Parallax wheel integrated into the elevation turret (patented) (25 m to ∞)
- Precise illuminated reticles in 1st focal plane

TECHNICAL DATA

Magnification:	3.5 - 18
Eye relief:	3.62 in
Field of view:	27.8 - 5.5 in/100 yds
Diopter compensation:	+2.5 / -3.5 dpt
Twilight factor (DIN 58388):	13.2 - 30.0
Impact correction per click:	.1 MRAD ¼ MOA
Adjustment range (E/W):	106.0 / 72.0 in/100 yds 30.0 / 20.0 MILS 102.0 / 69.0 MOA
Parallax adjustment:	25 m till ∞
Tube diameter:	34 mm / 1.34 in
Length:	12.3 in
Weight:	33.2 oz
Focal plane:	1
Illuminated:	Yes
Warranty:	10 years

FEATURES



1st focal plane



Main tube 34 mm



Adjustment direction CCW



Zero Stop



TWIST GUARD windage




Windage left or right




MOA or MIL


RETICLES / SUBTENSIONS




MOAK



MSR/Ki



SKMR3



TREMOR 3